**Product Specifications** 

SAT5221-960G

## **Hardware Specifications**

General	
Capacity	960 GB
Form Factor	2.5" 7mm
Interface	SATA 6 Gb/s
Performance	
Sustained Sequential read (128 KB, QD32)	500 MB/s
Sustained Sequential write (128 KB, QD32)	500 MB/s
Sustained Random Read (4KB, QD32)	90,000 IOPS
Sustained Random Write (4KB, QD32)	30,000 IOPS
Notes	<ul> <li>Performance specifications represent single-unit SSD performance results obtained from Synology's testing environment; actual performance may vary according to the host system's hardware and software setup.</li> <li>The specifications have undergone thorough review and verification by Synology to ensure they meet the performance demands and compatibility standard of each Synology system while providing high reliability.</li> <li>All performance measurements refer to sustained performance achieved in a steady state, as defined by test specifications in accordance with the Storage Networking Industry Association (SNIA).</li> </ul>
Endurance and Reliability	
Terabytes Written (TBW)*	>1,700 TB
Power Loss Protection	V

Warranty*	5 Years
Notes	<ul> <li>The TBW specifications denote the baseline endurance levels for Synology SSDs and are calculated using the JESD219A enterprise workload.</li> <li>5-year limited warranty provides coverage until the end of the warranty period or until the endurance usage of the drive has been reached, whichever comes first. (Learn more)</li> </ul>
Power Consumption	
Active Read (Typ.)	3.5 W
Active Write (Typ.)	4 W
Idle	1.2 W
Notes	Power consumption may differ according to configurations and platforms.
Temperature	
Operating Temperature	0°C to 70°C (32°F to 158°F)
Storage Temperature	-40°C to 85°C (-40°F to 185°F)

## Compatibility

## **Applied Models**

- SAT5210-7000G
- SAT5221-480G
- SAT5221-960G
- SAT5221-1920G
- SAT5221-3840G