

PRODUCT FLASH

Commercial 4K Display

Sony's commercial grade display panel are specifically designed for digital signage, information and monitoring applications, as well as use in meeting rooms, classrooms, lobbies, showrooms, sports venues and more.

Built on the most powerful processor and display device technology, the FW-BZ series is designed to reproduce the best picture quality and is highly reliable. This series also adds professional features like network and serial control, flexible installation options and high brightness.

FW – BZ40J Series

100

Available size



FEATURES

- 24/7 operation
- Typical brightness 600 (cd/m2)
- Peak brightness 940 (cd/m2)
- Direct: Full Array LED
- Cognitive Processor XR
- XR 4K Upscaling
- Android 10
- IP & RS232C control
- Chromecast & Apple AirPlay
- Export and import settings to/from USB flash memory
- Direct access to pro mode
- 4 x HDMI
- Portrait/Landscape/Tilt Installation
- Built-in Meeting-Room solution
- Built-in Media Player
- Built-in Android Applications Store
- 3 year commercial onsite warranty



FW-BZ40J series does not have a TV tuner.

Refer to FW-BZ Series product flash for more information and available accessories.

FW – BZ40H_BZ35F Series
BZ40H (55"-85") | BZ35F (43")

85

75

65

55

BZ35F

43

Available sizes

FEATURES

- 24/7 operation
- 505 - 620 (cd/m2)
- Peak brightness of 850 (cd/m2) on 55" above
- Edge LED 49" to 43"
- Direct: Full Array LED 85" to 55"
- 4K HDR Processor X1 – BZ40H only
- Android 10 – BZ40H only
- IP & RS232C control
- Chromecast & Apple AirPlay – BZ40H only
- Export and import settings to/from USB flash memory
- Direct access to pro mode
- 4 x HDMI
- Portrait/Landscape/Tilt Installation
- Built-in Meeting-Room solution
- Built-in Media Player
- Built-in Android Applications Store
- 3 year commercial onsite warranty



FW-BZ40H_BZ35F series does not have a TV tuner.

Refer to FW-BZ Series product flash for more information and available accessories



PRODUCT FLASH

Commercial 4K Display

FW – BZ30J Series

75

65

55

50

43

32

Available size



FW-BZ30J series does not have a TV tuner.

Refer to FW-BZ Series product flash for more information and available accessories

FEATURES

- 24/7 operation
- 440 (cd/m2) on 75" to 43"
- 300 (cd/m2) on 32"
- Direct LED on 75" to 43"
- Edge LED on 32"
- 4K HDR Processor X1
- 4K X-Reality PRO
- Android 10
- Chromecast & Apple AirPlay
- IP & RS232C control
- Export and import settings to/from USB flash memory
- Direct access to pro mode
- 4 x HDMI
- Portrait/Landscape/Tilt Installation
- Built-in Meeting-Room solution
- Built-in Media Player
- Built-in Android Applications Store
- 3 year commercial onsite warranty

4K Display

PREMIUM 4K

Sony Pro BRAVIA premium 4K HDR display panel. The FWD-X90K series is powered by Sony's Cognitive Processor XR. Designed with a ultra slim bezel for an ultra modern look and feel.

FWD – X90K Series

85

75

65

55

Available sizes



FEATURES

- 17/7 operation
- 730 (cd/m2)
- Direct: Full Array LED
- Cognitive Processor XR
- Android 10
- XR 4K Upscaling
- TV Tuner
- Chromecast & AirApple
- IP control
- 4 x HDMI
- XR TRILUMINOS Display
- HDR10 / HLG / Dolby Vision
- Built-in Media Player
- Built-in Android Applications Store
- 3 year commercial onsite warranty



PRODUCT FLASH

4K Display

MID 4K

Sony Pro BRAVIA mid 4K HDR display panel. The FWD-X85K series brings you the clarity, colour and contrast of 4K plus rich multi-dimensional sound framed in a slim design.

FWD – X85K Series

85

75


65

55

50

43

Available sizes



FEATURES

- 17/7 operation
- 517 – 584 (cd/m2)
- Direct LED
- 4K HDR Processor X1
- Android 10
- 4K X-Reality PRO
- TV Tuner
- Chromecast & AirApple
- IP control
- 4 x HDMI
- TRILUMINOS Display
- HDR10 / HLG / Dolby Vision
- Built-in Media Player
- Built-in Android Applications Store
- 3 year commercial onsite warranty



ENTRY 4K

Sony Pro BRAVIA entry 4K HDR display panel. The FWD-X80K series is the cost effective android TV, 4K HDR and complete control (with IP, RS232C) choice available.

FWD – X80K_X75K Series

75


65

55

50

43

Available sizes



FEATURES

- 17/7 operation
- 438 – 450 (cd/m2) : 75" to 55"
- 350 – 380 (cd/m2) : 50" to 43"
- Direct LED
- 4K HDR Processor X1:75" to 55"
- 4K Processor X1 : 50" to 43"
- Android 10
- 4K X-Reality PRO
- IP & RS232C control on 75" to 55"
- 4 x HDMI :75" to 55"
- 3x HDMI : 50" to 43"
- TRILUMINOS Display
- HDR10 / HLG / Dolby Vision
- Built-in Media Player
- Built-in Android Applications Store
- 3 year commercial onsite warranty



PRODUCT FLASH

ENTRY 2K

Sony Pro BRAVIA entry 2K display panel. The FWD-W830K series gives exceptional picture clarity with our latest picture technologies.

FWD-W830K Series

32

Available size

WXGA



X-Reality PRO



Chromecast built-in



FEATURES

- 17/7 operation
- 380 (cd/m2)
- Direct LED
- X-Reality PRO
- Live colour
- TV Tuner
- Android 10
- Chromecast built-in
- IP Control
- 3x HDMI
- Built-in Media Player
- Built-in Android Applications Store
- 3 year commercial onsite warranty

BRAVIA CAM


The FW-CMUBC1 connect to your BRAVIA TV via USB, this CAM recognizes where you are in the room and how far you are from the TV, then adjusts sound and picture settings so they're just right. This means audio—including dialogue—is clearer and more immersive with picture brightness tailored to your viewing environment¹.

Your perfect video conferencing camera. Stay tuned for more info on apps that will be available for video conferencing.



**USB connected
FW-CMUBC1**


OTHER FEATURES



Proximity Alert - allows you to set a recommended viewing distance and alerts you if you get too close to the TV².



Gesture control - enables you to change channels, adjust volume and more using simple gestures—no remote required².



Auto Power Saving Mode - optimizes your power consumption by darkening the screen automatically when you are not in front of the TV ².

All information contained herein is correct at time of printing. Sony Australia accepts no responsibility for false or misleading information.

1. This feature is available on BRAVIA XR TVs – X90K, X95K, A80K, A90K, A95K, Z95K.

2. Feature will be available via a future firmware update.

AU, May22

PRODUCT FLASH

Free Applications

BRAVIA Signage Free

BRAVIA Signage Free is a software that allows you to play content (movie, still images, HTML) on a BRAVIA display using a USB flash memory thumb drive.

This is a free software that provides a basic signage solution, if a more complex and custom signage solution requirement is needed a paid BRAVIA signage software is available.

Download here: <https://sonyeur.sharepoint.com/:f:/s/S022-051-ExtCollab/MiPe/EsT-M-cf6RnRA3H0epx6qMBDtOsIdJNBokELGn22bNHjg?e=y7kyXg>

IP Remote

Is an app that allows simple IP control on BRAVIA Display panel. IP control includes;

- Power On/Off, - Select Input, - Muting, - Control Vol+/-
- Can control multiple BRAVIA Displays at the same time



IP Remote available to download from App Store & Play Store

SPECIFICATION

FW-BZ40J_BZ40H_BZ35F Series

		FW100BZ40J	FW85BZ40H	FW75BZ40H	FW65BZ40H	FW55BZ40H	FW43BZ35F
System	OS	Android 10	Android 10	Android 10	Android 10	Android 10	Android 8.0 Oreo
	TV Turner	No	No	No	No	No	No
Panel	Brightness (cd/m2)	600	620	620	620	620	505
	Peak Brightness (cd/m2)	940	850	850	850	850	-
	Operating Hours	24/7	24/7	24/7	24/7	24/7	24/7
	Response Time (ms)(*1)	7	6	8	8	8	5
	Panel type (IPS / VA)	VA	VA	VA	VA	VA	IPS
	Panel Surface	Hard Coat LR	Anti Glare	Anti Glare	Anti Glare	Anti Glare	Anti Glare
	Backlight type	Direct (Full Array LED)	Direct (Full Array LED)	Direct (Full Array LED)	Direct (Full Array LED)	Direct (Full Array LED)	Edge LED
Video	4K Processor	Cognitive Processor XR	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K Processor X1
	HDR compatibility	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10/HLG
Size	VESA® Hole Pitch (mm)	600x400	400x400	300x300	300x300	300x300	100x200
	Display Only (WxHxD) (mm) Approx.	2260x1297x98	1899x1089x72	1674x961x71	1450x833x70	1231x710x70	965x569x58
	Display with Stand (WxHxD) (mm) Approx.	2260x1346x475	1899x1162x441	1674x1034x410	1450x903x338	1231x780x338	965x628x279
	Package Carton (WxHxD) (mm) Approx.	2440x1578x378	2038x1235x260	1812x1110x188	1576x961x186	1350x836x162	1070x695x148
Weight	Display Only (kg) Approx.	88.9	45.8	32.9	22.2	16.5	10.8
	Display with Stand (kg) Approx.	92.6	47.7	34.4	23.2	17.5	11.3
	Package Carton (kg) Approx.	129	62	46	31	23	15
Power	Power consumption (W)	426	318	277	214	173	120
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5	0.5	0.5
Installation	Portrait	Yes	Yes	Yes	Yes	Yes	Yes
	Tilt	Yes^	Yes^	Yes^	Yes	Yes	Yes^
Control	Pro Mode	Yes	Yes	Yes	Yes	Yes	Yes
	IP	Yes	Yes	Yes	Yes	Yes	Yes
	IR Pass Through	Yes	Yes	Yes	Yes	Yes	Yes
	RS232C	Yes	Yes	Yes	Yes	Yes	Yes
Other	Bezel Type	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium (Bottom is molded plastic)
	Bezel Size (Top Side Bottom) (mm)	26x26x26	11.9x11.9x20.6	10.4x10.4x18.7	8.9x8.9x17.1	8.9x8.9x17.1	8.8x9.3x18.4
	Optional Touch Overlay (Additional Charge)	No	No	Yes	Yes	Yes	No
	Standard Warranty Onsite Warranty	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year

^ Limitation apply, please check "Portrait/Tilt Installation Support" page below or consult your Sony sales representative for advice.

PRODUCT FLASH

SPECIFICATION

FW-BZ30J Series

^ Limitation apply, please check below
“Portrait/Tilt Installation Support” or consult
your Sony sales representative for advice.

		FW75BZ30J	FW65BZ30J	FW55BZ30J	FW50BZ30J	FW43BZ30J	FW32BZ30J
System	OS	Android 10	Android 10	Android 10	Android 10	Android 10	Android 10
	TV Turner	No	No	No	No	No	No
Panel	Brightness (cd/m2)	440	440	440	440	440	300
	Peak Brightness (cd/m2)	-	-	-	-	-	-
	Operating Hours	24/7	24/7	24/7	24/7	24/7	24/7
	Response Time (ms)(*1)	11	11	10	9	10	10
	Panel type (IPS / VA)	IPS	IPS	IPS	VA	IPS	VA
	Panel Surface	Anti Glare	Anti Glare	Anti Glare	Anti Glare	Anti Glare	Anti Glare
	Backlight type	Direct LED	Direct LED	Direct LED	Direct LED	Direct LED	Edge LED
Video	4K Processor	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1
	HDR compatibility	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision
Size	VESA® Hole Pitch (mm)	300x300	300x300	300x300	200x200	200x200	100x200
	Display Only (WxHxD) (mm) Approx.	1685x968x72	1462x841x71	1243x718x71	1126x653x70	971x567x69	726x430x76
	Display with Stand (WxHxD) (mm) Approx.	1685x1044x410	1462x910x338	1243x787x338	1126x718x285	971x632x285	726x454x172
	Package Carton (WxHxD) (mm) Approx.	1812x1110x189	1576x961x186	1350x836x162	1228x786x143	1072x699x143	814x551x152
Weight	Display Only (kg) Approx.	31.6	21.6	15.7	12.3	10	7.5
	Display with Stand (kg) Approx.	32.9	22.5	16.6	12.9	10.5	7.7
	Package Carton (kg) Approx.	45	30	23	17	14	10
Power	Power consumption (W)	297	230	196	146	107	66
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5	0.5	0.5
Installation	Portrait	Yes	Yes^	Yes^	Yes	Yes^	Yes
	Tilt	Yes^	Yes^	Yes^	Yes^	Yes^	Yes
Control	Pro Mode	Yes	Yes	Yes	Yes	Yes	Yes
	IP	Yes	Yes	Yes	Yes	Yes	Yes
	IR Pass Through	Yes	Yes	Yes	Yes	Yes	Yes
	RS232C	Yes	Yes	Yes	Yes	Yes	Yes
Other	Bezel Type	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic
	Bezel Size (Top Side Bottom) (mm)	16x16x21	15.1x15.1x19.5	15.1x15.1x19.6	13.6x13.6x19.9	13.6x13.6x20.7	12.3x12.3x15.4
	Optional Touch Overlay (Additional Charge)	Yes	Yes	Yes	No	No	No
	Standard Warranty Onsite Warranty	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year

Portrait/Tilt Installation Support

Green - can do portrait, tilt and/or landscape installation +/- 20° under 40° Celsius environment.


Yellow - can do portrait, tilt and/or landscape installation +/- 20° under degree Celsius environment outlined.

Orange - can do under special degree Celsius environment, please check with your Sony representative.

Red - cannot do.

Installation Type	Landscape/Portrait	Tilt Angle	BZ40J	BZ40H					BZ35F	BZ30J				
			100"	55"	65"	75"	85"	43"	32"	43"	50"	55"	65"	75"
A	Landscape	-20° ~ 0°	Up to -15°C							Under 39°C				
B	Landscape	0° ~ +20°								Under 37°C	Under 38°C	Under 39°C		
C	Portrait	0°								Under 38°C		Under 36°C	Under 38°C	
D	Portrait	0° ~ +20°								Under 36°C		Under 38°C	Under 39°C	Under 39°C
E	Portrait	-20° ~ 0°	Up to -15°C									Under 37°C Up to -15°C	Under 39°C Up to -15°C	Up to -15°C

Installation Type



Portrait Direction:

Sony logo should be located on the top side, except for BZ30J on 75" to 43" and BZ35F Series panels – where Sony logo shall be on the right hand side.

PRODUCT FLASH

SPECIFICATION

FWD-X90K Series

		FWD85X90K	FWD75X90K	FWD65X90K	FWD55X90K
System	OS	Gooogle TV	Gooogle TV	Gooogle TV	Gooogle TV
	TV Turner	Yes	Yes	Yes	Yes
Panel	Brightness (cd/m2)	730	730	730	730
	Operating Hours	17/7	17/7	17/7	17/7
	Response Time (ms)(*1)	6	9	6	7
	Panel type (IPS / VA)	VA	VA	VA	VA
	Backlight type	Direct (Full Array LED)	Direct (Full Array LED)	Direct (Full Array LED)	Direct (Full Array LED)
Video	4K Processor	Cognitive Processor XR	Cognitive Processor XR	Cognitive Processor XR	Cognitive Processor XR
	HDR compatibility	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision
Size	VESA® Hole Pitch (mm)	400x400	300x300	300x300	300x300
	Display Only (WxHxD) (mm) Approx.	1901x1090x73	1675x962x73	1452x834x72	1233x711x72
	Display with Stand (WxHxD) (mm) Approx.	1901x1125x469	1675x992x398	1452x863x331	1233x740x331
	Package Carton (WxHxD) (mm) Approx.	2037x1242x239	1812x1118x189	1576x969x186	1350x839x162
Weight	Display Only (kg) Approx.	54.8	34.4	22.9	17.4
	Display with Stand (kg) Approx.	47.5	35.8	24	18.5
	Package Carton (kg) Approx.	62	46	32	25
Power	Power consumption (W)	390	329	244	205
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5
Installation	Portrait Tilt	No	No	No	No
Control	Pro Mode	No	No	No	No
	IP	Yes	Yes	Yes	Yes
	IR Pass Through	No	No	No	No
	RS232C	No	No	No	No
Other	Bezel Type	Molded Plastic	Molded Plastic	Molded Plastic	Molded Plastic
	Bezel Size (Top Side Bottom) (mm)	8.4x8.4x20.9	6.3x6.3x19.2	6.3x6.3x17.5	6.3x6.3x17.5
	Optional Touch Overlay	No	No	No	No
	Standard Warranty Onsite Warranty	3 Year	3 Year	3 Year	3 Year

FWD-X85K Series

		FWD85X85K	FWD75X85K	FWD65X85K	FWD55X85K	FWD50X85K	FWD43X85K
System	OS	Gooogle TV	Gooogle TV	Gooogle TV	Gooogle TV	Gooogle TV	Gooogle TV
	TV Turner	Yes	Yes	Yes	Yes	Yes	Yes
Panel	Brightness (cd/m2)	517	562	584	584	562	562
	Operating Hours	17/7	17/7	17/7	17/7	17/7	17/7
	Response Time (ms)(*1)	6	9	8	6	6	6
	Panel type (IPS / VA)	VA	VA	IPS	VA	VA	VA
	Backlight type	Direct LED	Direct LED	Direct LED	Direct LED	Direct LED	Direct LED
Video	4K Processor	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1
	HDR compatibility	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision
Size	VESA® Hole Pitch (mm)	400x400	300x300	300x300	300x300	200x200	200x200
	Display Only (WxHxD) (mm) Approx.	1901x1090x73	1675x962x73	1452x836x72	1233x711x72	1119x649x70	964x563x69
	Display with Stand (WxHxD) (mm) Approx.	1901x1178x457	1675x1041x412	1452x906x339	1233x783x339	1119x716x288	964x629x288
	Package Carton (WxHxD) (mm) Approx.	2037x1242x239	1812x1118x189	1576x969x186	1350x839x162	1227x786x143	1072x699x143
Weight	Display Only (kg) Approx.	44.7	32.6	22	17.1	12.7	10.2
	Display with Stand (kg) Approx.	46.2	33.8	23	18.1	13.3	10.7
	Package Carton (kg) Approx.	62	44	32	24	18	14
Power	Power consumption (W)	378	364	296	229	148	114
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5	0.5	0.5
Installation	Portrait Tilt	No	No	No	No	No	No
Control	Pro Mode	No	No	No	No	No	No
	IP	Yes	Yes	Yes	Yes	Yes	Yes
	IR Pass Through	No	No	No	No	No	No
	RS232C	No	No	No	No	No	No
Other	Bezel Type	Molded Plastic	Molded Plastic	Molded Plastic	Molded Plastic	Molded Plastic	Molded Plastic
	Bezel Size (Top Side Bottom) (mm)	8.4x8.4x20.9	6.3x6.3x19.2	6.3x6.3x17.5	6.3x6.3x17.5	6.3x6.3x17.5	6.3x6.3x19.5
	Optional Touch Overlay	No	No	No	No	No	No
	Standard Warranty Onsite Warranty	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year

PRODUCT FLASH

SPECIFICATION

FWD-X80K_X75K Series

		FWD75X80K	FWD65X80K	FWD55X80K	FWD50X75K	FWD43X75K
System	OS	Google TV	Google TV	Google TV	Google TV	Google TV
	TV Turner	Yes	Yes	Yes	Yes	Yes
Panel	Brightness (cd/m2)	450	438	450	380	350
	Operating Hours	17/7	17/7	17/7	17/7	17/7
	Response Time (ms)(*1)	8	8	8	10	8
	Panel type (IPS / VA)	IPS	IPS	IPS	VA	IPS
	Backlight type	Direct LED	Direct LED	Direct LED	Direct LED	Direct LED
Video	4K Processor	4K HDR Processor X1	4K HDR Processor X1	4K HDR Processor X1	4K Processor X1	4K Processor X1
	HDR compatibility	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG Dolby Vision	HDR10 HLG	HDR10 HLG
Size	VESA® Hole Pitch (mm)	300x300	300x300	300x300	300x200	200x200
	Display Only (WxHxD) (mm) Approx.	1675x962x73	1452x836x72	1233x713x72	1127x662x77	971x575x77
	Display with Stand (WxHxD) (mm) Approx.	1675x1041x412	1452x906x339	1233x783x339	1127x706x231	971x619x231
	Package Carton (WxHxD) (mm) Approx.	1812x1118x189	1576x969x186	1350x839x162	1207x758x149	1051x671x143
Weight	Display Only (kg) Approx.	32.2	21.7	15.9	9.8	7.8
	Display with Stand (kg) Approx.	33.5	22.7	16.9	10	8
	Package Carton (kg) Approx.	44	32	23	14	11
Power	Power consumption (W)	306	230	202	115	96
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5	0.5
Installation	Portrait Tilt	No	No	No	No	No
Control	Pro Mode	No	No	No	No	No
	IP	Yes	Yes	Yes	Yes	Yes
	IR Pass Through	No	No	No	No	No
	RS232C	Yes	Yes	Yes	No	No
Other	Bezel Type	Molded Plastic	Molded Plastic	Molded Plastic	Molded Plastic	Molded Plastic
	Bezel Size (Top Side Bottom) (mm)	6.3x6.3x19.2	5.3x5.3x19.5	5.4x5.4x19.5	13.1x13.1x21.0	13.6x13.6x21.0
	Optional Touch Overlay	No	No	No	No	No
	Standard Warranty Onsite Warranty	3 Year	3 Year	3 Year	3 Year	3 Year

FWD-W830K Series

		FWD32W830K
System	OS	Google TV
	TV Turner	Yes
Panel	Brightness (cd/m2)	380
	Operating Hours	17/7
	Response Time (ms)(*1)	8
	Panel type (IPS / VA)	IPS
	Backlight type	Direct LED
Video	4K Processor	X-Reality PRO
	HDR compatibility	HDR10 HLG
Size	VESA® Hole Pitch (mm)	100x100
	Display Only (WxHxD) (mm) Approx.	730x437x75
	Display with Stand (WxHxD) (mm) Approx.	730x465x188
	Package Carton (WxHxD) (mm) Approx.	801x533x143
Weight	Display Only (kg) Approx.	4.8
	Display with Stand (kg) Approx.	5
	Package Carton (kg) Approx.	8
Power	Power consumption (W)	51
	Power consumption (in Standby) (W)	0.5
Installation	Portrait Tilt	No
Control	Pro Mode	No
	IP	Yes
	RS232C	No
Other	Bezel Type	Molded Plastic
	Bezel Size (Top Side Bottom) (mm)	12.3x12.3x18.3
	Optional Touch Overlay	No
	Standard Warranty Onsite Warranty	3 Year

For CAD files on all series [click here](#) to download.

URL
<https://sonyeur.sharepoint.com/:f:/s/S022-051-ExtCollab/MiPe/Ek5dXRjJPdIAsyHFxQ-aiu0Bfa1-xLbeQze7-RqSHAdtuQ?e=QAH6yF>