

Technical Specification

AW-Ora10-F

Ora 10 Monitor Arm F-clamp



FEATURES

- Complete, full featured monitor arm for a single curved or flat display up to 49".
- Balanced tilt mechanism for dynamic viewing angle selection.
- Effortless counterbalance adjustment with an easy-to-read gauge for fast bulk deployments.
- Integrated, toolless 180° arm rotation limiter to prevent interference with walls and workstation dividers.
- Adjustable portrait-to-landscape rotation tension.
- Contemporary styling to suit modern workplace interiors.
- Discreet cable management guides cables down the arm to the work surface.
- Supplied with desk clamp, dynamic arm, VESA plate, and display mounting fasteners.
- Also compatible with AW-FB Ora Bolt Through Fixing and AW-FCT Ora Top-Fixing C-Clamp (sold separately).

Display weight 3-10kg* (6.6-22.0lb)
Display depth Up to 200mm (7.9")
Display size Up to 49"†

(Curved or Flat) +45° / -20°

Rotation adjustment +/- 95°

Tilt adjustment

Horizontal adjustment 645mm (25.4")
Vertical adjustment 315mm (12.4") Dynamic

VESA mounting 75x75 100x100

Primary materials Aluminium, Steel, Engineering Polymers

Please contact Atdec if you would like further information.

WARRANTY

10 years limited

^{*} Deep devices (such as all-in-one PCs), VESA mounted accessories (such as mini PC mounts), and offset VESA locations exert additional leverage that can exceed the capacity of the mount even though the device weight may be within the stated range.

[†] A display must meet each of the weight, depth and size specifications to be compatible.

















